



PRODUCT LINE



Sullivan
Palatek

Dependable by design.™

MODELS & SPECIFICATIONS

MODEL	HORSEPOWER	kW	CAPACITY (CFM at 125 psi)	PRESSURE RANGE (psi)
RECIPROCATING	5-13	3.7-9.7	16-34.4	100-150
LSC-Series (Line Shaft)	15-60	11.2-44.7	49-265	100-150
M/MCDF/MCDD-Series	5-10	3.7-7.5	22-42	125-175
DCDD-Series	15-30	11.2-22.4	49-105	120/130
D-Series	15-40	11.2-30	49-160	125-175
DG-Series	25-50	18.6-30	105-150	125-175
UD-Series	40-60	30-44.7	160-261	100-175
SP16-Series	75-125	55.9-93.2	338-530	100-175
SP20-Series	125-300	93.2-223.7	540-1145	100-175
SP32-Series	300-450	223.7-335.5	1566-1730	100-175
VFD-Series	15-450	11.2-335.5	53-1730	100-175
ELECTRIC CONSTRUCTION COMPRESSORS				
50UD-ECC	50	37.3	178	150
SP16-100 ECC	100	74.6	410	150
SP20-200 ECC	200	149.1	810	150
SP20-250 ECC	250	186.4	960	150
SP20-300 ECC	300	223.7	1140	150
SP32-400 ECC	400	298.3	1490	150
SP32-450 ECC	450	335.6	1600	150
OIL FREE				
Oil Less Recip.	1-10	.7-7.5	3-30	120-175

*Capacity in accordance with CAGI / ISO 1217 (Annex C / Annex E)



MODELS & SPECIFICATIONS

MODEL	ENGINE	CAPACITY (CFM)	PRESSURE (psi)	HORSEPOWER
D110PKU	Kubota (T4F)	110	100	24
D185PKR	Kohler (T4F)	185	100	48.8
D185PIZ4	Isuzu (T4F)	185	100	49
D210PHKR	Kohler (T4F)	210	100/150	74
D260PDKR	Kohler (T4F)	260/185	100/150	74
D375PHJD4	John Deere (T4F)	375	100/150	140
D400PHHJD4	John Deere (T4F)	400	90-200	173
D450PJD4	John Deere (T4F)	450	100	140
D750PH4CU5	Cummins (T4F)	750	100/150	310
D750PHCA4	Caterpillar (T4F)	750	100/150	350
D825PH4CU5	Cummins (T4F)	825	100/150	310
D825PHCA4	Caterpillar (T4F)	825	100/150	350
D900PH4CU5	Cummins (T4F)	900	100/150	310
D900PHCA4	Caterpillar (T4F)	900	100/150	350
D1600PH1CU4	Cummins (T4F)	1600	100/150	535
D1600PH1CA4	Caterpillar (T4F)	1600	100/150	540
HIGH PRESSURE				
D1150PXHD1CA4	Caterpillar (T4F)	1150/900	350/500	540
D1150PXHD1CU4	Cummins (T4F)	1150/900	350/500	535
UTILITY MOUNT				
D110UKU	Kubota (T4F)	110	100	24
D185UIZ	Isuzu (T4F)	185	100	49
D210UHJD4PTOW	John Deere (T4F)	210	100/150	74
D260UJD4PTOW	John Deere (T4F)	260	100	74

**All models show above are Tier 4 Final diesel powered portable air compressors*



SPECIALTY EQUIPMENT



Electric
Construction
Compressors



Utilities
110-260 CFM



375-1600 CFM
Offshore



Aftercooler/Dryer
Skid Packages




Regenerative Dryers



Refrigerated Air Dryers



Filters



OEM Air Ends

Sullivan-Palatek, Inc.
1201 West US Highway 20
Michigan City, IN 46360

 219.874.2497  sullivan-palatek.com  info@palatek.com

Specifications and designs are subject to change without notice. Machines may be shown with optional equipment.

05018731-0017 R02